


# Telehandler Rehandling Bucket



**Corner Gussetts** help to strengthen the base.

Heavier base and Skids give the bucket greater **breakout force**.

**Side Wall Plates** give the bucket shell added protection.

## Fast Facts

- + 12 Month Manufacturers Warranty
- + *Customisable to exact specifications*
- + Designed to handle already processed material
- + Various GET available

Kerfab's range of Buckets are available in a range of widths, capacities, and machine sizes. Below is a list of our most popular sizes.  
**Custom Solutions Available**

## About


- + Kerfab's Rehandling Buckets are optimised for applications requiring moderate breakout force
- + This bucket achieves the highest possible machine performance in both short cycle and load and carry applications.
- + Kerfab's standard line of Rehandling Buckets are available for machines up to 25T (custom sizes available)
- + A Rehandling Bucket is often used to handle processed sand, gravel, aggregate, limestone, and other materials between 1200kg/m<sup>3</sup> and 2200kg/m<sup>3</sup>
- + Our range of buckets can come fitted with teeth, bolt on edges, or weld on edges - Kerfab can advise on what is best for your application
- + Multiple options can be fitted to a Rehandling bucket to improve it's suitability for different applications, these include wear plates, internal liners, trash guards, and internal coatings. Kerfab can advise on what's best for your applications.

## Product Specs

Part No.	Width	Capacity
RHB2113	2100mm	1.3m <sup>3</sup>
RHB2117	2100mm	1.75m <sup>3</sup>
RHB2415	2400mm	1.5m <sup>3</sup>
RHB2420	2400mm	2.0m <sup>3</sup>
RHB2425	2400mm	2.5m <sup>3</sup>

## Telehandler GP Bucket

Available in a range of widths from 1.8m – 2.4m with capacity ranging from 0.5m<sup>3</sup> – 1.4m<sup>3</sup>



Hardened wear edge for heavy-duty use with bolt on edge option available

### Fast Facts

- + 12 Month Manufactures Warranty
- + Customisable to exact specifications
- + Variable tine numbers depending on size
- + Various style tine tips

Kerfab's range of Telehandler GP Buckets are available in a range of widths, capacities, and machine sizes. Below is a list of our most popular sizes.

### Custom Solutions Available

### About

- + A popular member of Kerfab's line of earthmoving attachments, the Telehandler General Purpose Bucket clears away debris quickly and easily
- + Ideal for cleaning up on construction sites and working around the farm
- + Specially designed hardened wear edge with a bolt on edge option increases durability, making this bucket suitable for abrasive work and breaking through densely packed rubble, sand or soil
- + Suitable for materials with density less than 1600kg/m<sup>3</sup>
- + Range of sizes and volumetric capacities allows for efficient loading and unloading
- + Quick hitch compatible,

### Product Specs

Part Number	Width mm	Capacity m <sup>3</sup>	Weight kg	No. of teeth option
TGP1805	1800	0.5	320	7
TGP1807	1800	0.75	365	7
TGP2108	2100	0.85	370	9
TGP2410	2400	1	395	10
TGP2412	2400	1.2	450	10
TGP2414	2400	1.4	510	10

# Telehandler Light Materials

## Bucket



### Fast Facts

- + 12 Months Manufacturers Warranty
- + Customisable to exact specifications
- + Australian Made

### About

- + Designed to increase efficiency of telehandlers
- + Ideal for handling bulk amounts of grain, mulch, and other materials less than 800kg/m<sup>3</sup> density
- + Rolled inside surface to ease material clean out.
- + Quick Hitch compatible

Kerfab's range of Telehandler Light Materials Buckets are available in a range of widths, capacities and machine sizes. To the right is a list of our most popular sizes.

### Custom Solutions Available

### Product Specs

Part Number	Width mm	Weight kg	Capacity m3
TLM2110	2100	405	1.0
TLM2113	2100	485	1.3
TLM2415	2400	550	1.5
TLM2420	2400	650	2.0
TLM2425	2400	680	2.5
TLM2430	2400	845	3.0
TLM2735	2700	920	3.5
TLM3040	3000	1180	4.0